




Introducing our New and Improved!

KuriKrimp™ Crimpers & Accessories



Kuriyama of America, Inc.

Visit us
www.kuriyama.com
on the Web!



EDITION 1207

Assembly Equipment and Accessories

KuriKrimp™ Die Kages	3
KD160SH & SP Package and Components	4
KD165 Package and Components	5
KD2-30 Package and Components	6
KD2-50 Package and Components	7
KD4-50 Package and Components	8
KD4-60 Package and Components	9
KD4-600 Package and Components	10
KD4-1000 Package and Components	11
Cutting Equipment	
KuriSaws™ KHS-150 Cutoff Saw & Blades	12
KuriSaws™ Plus KHS-300, KHS-300-1PH, KHS-500, KHS-500-1PH.....	13
Fitting Pusher	14
Skive Tools	15
Cautionary Statement, Limited Warranty	16

The trademarks contained in this publication are trademarks of Kuriyama of America, Inc.



KuriKrimp™ Die Kages

We are pleased to announce our latest improvement to our KD100 series crimpers tooling package. We now offer our crimp dies with cages that are more durable and longer lasting compared to the older style.

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

Crimping Equipment

KD160SH & SP



Weighing only 50 lbs. the 60 ton cylinder of the portable KuriKrimp™ KD160SH-124 crimping machine is a truly "portable" crimping machine. This 60 ton crimping machine can be carried to most locations where service is required.

KD160SP-124RK Crimper System (Air/Hydraulic Pump VAP-10-100)



Part Number	Description	Weight
Complete KuriKrimp™ KD160SP System		45.0 lbs
KD160SP-124RK	Complete System (+ Dies)	63.0 lbs
KuriKrimp™ KD160SP System Standard Dies for 1-pc fittings:		
KD100-16/Orange	Standard Die 16mm Orange	3.0 lbs
KD100-20/Green	Standard Die 20mm Green	3.0 lbs
KD100-22/Blue	Standard Die 22mm Blue	3.0 lbs
KD100-27/Brown	Standard Die 27mm Brown	3.0 lbs
KD100-31/Yellow	Standard Die 31mm Yellow	3.0 lbs
KD100-34/Red	Standard Die 34mm Red	3.0 lbs
KD100-41/Silver	Standard Die 41mm Silver	3.0 lbs

KD160SH & SP Package and Components

The KD160SH & SP crimping machine is both light and powerful enough (60 ton) to go anywhere you need to go to make hydraulic hose assemblies up to 1 1/4" ID 100R12 four-spiral hose!

The micrometer-style adjustment allows a wide variety of hose and fitting combinations to be crimped to exact manufacturer's specifications without the need for special shims or spacers.

KD160SH-124 Specifications:

- DimensionsD 14" X W 11" X H 23.5"
- Weight50 lbs.
- PumpAir/Oil, 10,000 PSI
- Reservoir See Manual
- Oil Type ISO Viscosity Grade 46
- Hose Capacity 1 1/4" 4 Wire
.....1" 6 Wire

Includes "NEW" KD100 Series Die Kages.



KD160SH-124RK Crimper System (Hand Pump VHP-10-43)



Part Number	Description	Weight
Complete KuriKrimp™ KD160SH System		45.0 lbs
KD160SH-124RK	Complete System (+ Dies)	63.0 lbs
KuriKrimp™ KD160SH System Standard Dies for 1-pc fittings:		
KD100-16/Orange	Standard Die 16mm Orange	3.0 lbs
KD100-20/Green	Standard Die 20mm Green	3.0 lbs
KD100-22/Blue	Standard Die 22mm Blue	3.0 lbs
KD100-27/Brown	Standard Die 27mm Brown	3.0 lbs
KD100-31/Yellow	Standard Die 31mm Yellow	3.0 lbs
KD100-34/Red	Standard Die 34mm Red	3.0 lbs
KD100-41/Silver	Standard Die 41mm Silver	3.0 lbs

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

KD165 Package and Components

If your looking for a machine that can do more than just 2 wire hose, the KD165 might be your machine of choice. This machine boasts a 60 ton press, capable of crimping 2 and 4 wire hose up to 1 1/4" and 6 wire up to 1" ID.

KD165 Specifications:

- Dimensions L 22" X W 12.5" X H 22.25"
- Weight See Below
- Pump/Power Electric 1 HP (110V)
- Reservoir 1 Gal.
- Oil TypeISO Viscosity Grade 46
- Hose Capacity1 1/4" 2 Wire
.....1 1/4" 4 Wire
.....1" 6 Wire

KD165 Crimper Without Dies

Part Number	Description	Weight
KuriKrimp™ KD165 Crimper without Dies:		
KD165	Hose Crimper 60 Ton	140.0 lbs

KD165-124RK System for Alfacrimp One-Piece Fittings

Part Number	Description	Weight
Complete KuriKrimp™ KD165 System with Standard Die Package for 1-piece fittings:		
KD165-124RK	Complete System	165.0 lbs
KuriKrimp™ KD165 System Standard Dies for 1-pc fittings:		
KD100-16/Orange	Standard Die 16mm Orange	3.0 lbs
KD100-20/Green	Standard Die 20mm Green	3.0 lbs
KD100-22/Blue	Standard Die 22mm Blue	3.0 lbs
KD100-27/Brown	Standard Die 27mm Brown	3.0 lbs
KD100-31/Yellow	Standard Die 31mm Yellow	3.0 lbs
KD100-34/Red	Standard Die 34mm Red	3.0 lbs
KD100-41/Silver	Standard Die 41mm Silver	3.0 lbs
KD100-52/Black	Standard Die 52mm Black	3.0 lbs

Other Optional Dies for KD165:

Part Number	Description	Weight
KD100-12/Purple	Standard Die 12mm Purple	3.0 lbs
KD100-19/Black	Standard Die 19mm Black	3.0 lbs
KD100-51/Orange	Standard Die 51mm Orange	3.0 lbs



Includes "NEW" KD100 Series Die Kages.



BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

Crimping Equipment

KD2-30



The KuriKrimp™ KD2-30 crimper includes everything needed for producing high volume hydraulic hose assembly, including a manual stop for repeated assemblies.

KD2-30 Package and Components

The KD2-30 has 155 ton of crimping force and averages 1,415 crimps/hour for -8 100R2AT. It is an ideal fit for many small shops where space is at a premium and the ability to crimp a wide variety of hose and fittings as needed.

KD2-30 Specifications:

- Dimensions L 23.5" X W 15" X H 18.5"
- Weight 245 Lbs.
- Pump 11,000 psi 1 HP (110V)
- Reservoir 13 Qt.
- Oil Type ISO Viscosity Grade 46
- Master Dies 20 MM ID Master Die Standard
- Hose Capacity 2" 2 Wire
 1 1/4" 4 Wire
 1 1/4" 6 Wire

Micrometer Digital Readout



A micrometer style digital readout makes crimp set up easy and precise

Coupling Stop Included



A coupling stop and a retraction stop makes production crimping a fast and repeatable process.

Die Rack Included



A stand alone die rack is available to keep dies organized and readily available

Quick Change Tool Included



KD2-30 Crimper System

Part Number	Description	Weight
KD2-30	Complete crimper, power unit, base, crimp control and foot switch.	290 lbs
D84S-16	20 Series Crimping Die Set - 16MM	6 lbs
D84S-19	20 Series Crimping Die Set - 19MM	6 lbs
D84S-22	20 Series Crimping Die Set - 22MM	6 lbs
D84S-27	20 Series Crimping Die Set - 27MM	6 lbs
D84S-31	20 Series Crimping Die Set - 31MM	6 lbs
D84S-34	20 Series Crimping Die Set - 34MM	6 lbs
D84S-41	20 Series Crimping Die Set - 41MM	6 lbs
D84S-52	20 Series Crimping Die Set - 52MM	6 lbs
D84S-56	20 Series Crimping Die Set - 56MM	6 lbs



BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

KD2-50 Package and Components

The KD2-50 has 340 ton of crimping force and averages 1,415 crimps/hour for -8 100R2AT. It is an ideal fit for many small shops where space is at a premium and the ability to crimp a wide variety of hose and fittings is needed.

KD2-50 Specifications:

- DimensionsL 29" X W 20" X H 32"
- Weight 579 Lbs.
- Pump 230V 3PH
- Reservoir 8 Gal.
- Oil Type ISO Viscosity Grade 46
- Master Dies 130 MM ID Master Die Standard
- Adapter Dies 99 MM ID Adapter Dies Included
- Hose Capacity 2 1/2" 6 Wire

KD2-50 Crimper System

Part Number	Description	Weight
KD2-50	Complete crimper, power unit, base, 130/99 adapter die set, crimp control and foot switch.	579 lbs
D18506/16	99 Series Crimping Die Set - 16MM	10 lbs
D18506/19	99 Series Crimping Die Set - 19MM	10 lbs
D18506/22	99 Series Crimping Die Set - 22MM	10 lbs
D18506/27	99 Series Crimping Die Set - 27MM	10 lbs
D18506/31	99 Series Crimping Die Set - 31MM	10 lbs
D18506/34	99 Series Crimping Die Set - 34MM	9 lbs
D18506/41	99 Series Crimping Die Set - 41MM	9 lbs
D18506/52	99 Series Crimping Die Set - 52MM	9 lbs
D18506/56	99 Series Crimping Die Set - 56MM	9 lbs
D18506/72	99 Series Crimping Die Set - 72MM	8 lbs



Optional

Part Number	Description	Weight
101247-99	Machine stand with die holder panel for 99MM Series crimping dies	98 lbs



The KuriKrimp™ KD2-50 crimper includes everything needed for producing high volume hydraulic hose assembly, including a manual stop for repeated assemblies.

Micrometer Digital Readout



A micrometer style digital readout makes crimp set up easy and precise

Coupling Stop Included



A coupling stop and a retraction stop makes production crimping a fast and repeatable process.

Quick Change Tool Included



Die Rack Included



Crimping Equipment

KD4-50



The KuriKrimp™ KD4-50 crimper includes everything needed for producing high volume hydraulic hose assembly, including a manual stop for repeated assemblies.

KD4-50 Package and Components

The KD4-50 boasts 340 ton of crimping force and averages 1,415 crimps/hour for -8 100R2AT. Not only is this a true hydraulic production machine, but ACT controller makes it a snap.

KD4-50 Specifications:

- Dimensions L 29" X W 20" X H 32"
- Weight See below
- Pump Electric 7.5 HP (230V 3PH)
- Reservoir 8 Gal.
- Oil Type ISO Viscosity Grade 46
- Master Dies 145 MM ID Master Die Standard
- Adapter Dies 99 MM ID Adapter Dies Included
- Hose Capacity 2 1/2" 2 Wire
 2 1/2" 4 Wire
 2 1/2" 6 Wire

Quick Change Tool Included



Manual Stop Included



Optional

Part Number	Description	Weight
101247-99	Machine stand with die holder panel for 99MM Series crimping dies	98 lbs

KD4-50 Crimper System

Part Number	Description	Weight
KD4-50	Complete crimper, power unit, base, 130/99 adapter die set, crimp control and foot switch.	579 lbs
D18506/16	99 Series Crimping Die Set - 16MM	10 lbs
D18506/19	99 Series Crimping Die Set - 19MM	10 lbs
D18506/22	99 Series Crimping Die Set - 22MM	10 lbs
D18506/30	99 Series Crimping Die Set - 30MM	10 lbs
D18506/34	99 Series Crimping Die Set - 34MM	9 lbs
D18506/42	99 Series Crimping Die Set - 42MM	9 lbs
D18506/51	99 Series Crimping Die Set - 51MM	9 lbs
D18506/57	99 Series Crimping Die Set - 57MM	9 lbs
D18506/61	99 Series Crimping Die Set - 61MM	8 lbs
D18506/71	99 Series Crimping Die Set - 71MM	8 lbs
D18506/76	99 Series Crimping Die Set - 76MM	8 lbs

KD4-60 Package and Components

The KD4-60 boasts 265 ton of crimping force and averages 1,415 crimps/hour for -8 100R2AT. Not only is this a true hydraulic production machine, but it is capable of crimping up to 4" industrial hose.

**To crimp large bore industrial hose, please consult Kuriyama Customer Service for pricing and availability of all industrial dies which are MTO.*

KD4-60 Specifications:

- Dimensions L 29" X W 20" X H 32"
- Weight See Below
- Pump/Power Electric 7.5 HP (230V 3PH)
- Reservoir 8 Gal
- Oil Type ISO Viscosity Grade 46
- Master Dies 145 MM ID Master Die Standard
- Adapter Dies 99 MM ID Adapter Dies Included
- Hose Capacity 2 1/2" 2 Wire
 2 1/2" 4 Wire
 1 1/2" 6 Wire
 4" Industrial

KD4-60 Crimper System

Part Number	Description	Weight
KD4-60	Complete crimper, power unit, base, 145/99 adapter die set, crimp control and foot switch.	579 lbs
D18506/16	99 Series Crimping Die Set - 16MM	10 lbs
D18506/19	99 Series Crimping Die Set - 19MM	10 lbs
D18506/22	99 Series Crimping Die Set - 22MM	10 lbs
D18506/30	99 Series Crimping Die Set - 30MM	10 lbs
D18506/34	99 Series Crimping Die Set - 34MM	9 lbs
D18506/42	99 Series Crimping Die Set - 42MM	9 lbs
D18506/51	99 Series Crimping Die Set - 51MM	9 lbs
D18506/57	99 Series Crimping Die Set - 57MM	9 lbs
D18506/61	99 Series Crimping Die Set - 61MM	8 lbs
D18506/71	99 Series Crimping Die Set - 71MM	8 lbs
D18506/76	99 Series Crimping Die Set - 76MM	8 lbs

Optional

Part Number	Description	Weight
101247-99	Machine stand with die holder holder panel for 99MM Series crimping dies	98 lbs



The KuriKrimp™ KD4-60 crimper includes everything needed for high volume hose assembly and is capable of crimping large bore industrial hose up to 4".

Quick Change Tool Included



Manual Stop Included



Other Optional Dies for KD4-60 Crimpers

Part Number	Description	Weight
D145S-84MM	145S Series Crimping Die Set - 84MM	18 lbs
D145S-92MM	145S Series Crimping Die Set - 92MM	18 lbs
D145S-100MM	145S Series Crimping Die Set - 100MM	18 lbs
D145S-108MM	145S Series Crimping Die Set - 108MM	18 lbs
D145S-114MM	145S Series Crimping Die Set - 114MM	18 lbs
D145S-126MM	145S Series Crimping Die Set - 126MM	18 lbs

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

Crimping Equipment

KD4-600



- Storage for up to 22 dies.



KD4-600 Package and Components

The KD4-600 boasts 350 ton of crimping force and averages 1,415 crimps/hour for -8 100R2AT. Not only is this a true hydraulic production machine, but it is capable of crimping up to 6" industrial hose.

***To crimp large bore industrial hose, please consult Kuriyama Customer Service for pricing and availability of all industrial dies which are MTO.**

KD4-600 Specifications:

- Dimensions L 22" X W 36" X H 57"
- Weight See Below
- Pump/Power Electric 7.5 HP (230V 3PH)
- Reservoir 24 Gal
- Oil Type ISO Viscosity Grade 46
- Master Dies 145 MM ID Master Die Standard
- Adapter Dies 99 MM ID Adapter Dies Included
- Hose Capacity 2 1/2" 6 Wire
..... 6" Industrial

KD4-600 Crimper System

Part Number	Description	Weight
KD4-600	Complete crimper, power unit, base, 145/99 adapter die set, crimp control and foot switch.	4000 lbs
D18506/16	99 Series Crimping Die Set - 16MM	10 lbs
D18506/19	99 Series Crimping Die Set - 19MM	10 lbs
D18506/22	99 Series Crimping Die Set - 22MM	10 lbs
D18506/30	99 Series Crimping Die Set - 30MM	10 lbs
D18506/34	99 Series Crimping Die Set - 34MM	9 lbs
D18506/42	99 Series Crimping Die Set - 42MM	9 lbs
D18506/51	99 Series Crimping Die Set - 51MM	9 lbs
D18506/57	99 Series Crimping Die Set - 57MM	9 lbs
D18506/61	99 Series Crimping Die Set - 61MM	8 lbs
D18506/71	99 Series Crimping Die Set - 71MM	8 lbs
D18506/76	99 Series Crimping Die Set - 76MM	8 lbs

Other Optional Dies for KD4-600 Crimpers

Part Number	Description	Weight
D160S-84MM	160S Series Crimping Die Set - 84MM	18 lbs
D160S-92MM	160S Series Crimping Die Set - 92MM	18 lbs
D160S-100MM	160S Series Crimping Die Set - 100MM	18 lbs
D160S-108MM	160S Series Crimping Die Set - 108MM	18 lbs
D160S-114MM	160S Series Crimping Die Set - 114MM	18 lbs
D160S-126MM	160S Series Crimping Die Set - 126MM	18 lbs
D1600B-166-130MM	1600B Series Crimping Die Set - 166MM	28 lbs
D1600B-178-130MM	1600B Series Crimping Die Set - 178MM	28 lbs

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

KD4-1000

Crimping Equipment

KD4-1000 Package and Components

The KD4-1000 boasts 400 ton of crimping force and averages 1,415 crimps/hour for -8 100R2AT. Not only is this a true hydraulic production machine, but it is capable of crimping up to 10" industrial hose.

***To crimp large bore industrial hose, please consult Kuriyama Customer Service for pricing and availability of all industrial dies which are MTO.**

KD4-1000 Specifications:

- DimensionsL 30" X W 44" X H 74"
- Weight See Below
- Pump/Power Electric 7.5 HP (230V 3PH)
- Reservoir 24 Gal
- Oil Type ISO Viscosity Grade 46
- Master Dies 230 MM ID Master Die Standard
- Adapter Dies 99 MM ID Adapter Dies Included
- Hose Capacity 2 1/2" 6 Wire
..... 10" Industrial



KD4-1000 Crimper System

Part Number	Description	Weight
KD4-1000	Complete crimper, power unit, base, 145/99 adapter die set, crimp control and foot switch.	6185 lbs
D18506/16	99 Series Crimping Die Set - 16MM	10 lbs
D18506/19	99 Series Crimping Die Set - 19MM	10 lbs
D18506/22	99 Series Crimping Die Set - 22MM	10 lbs
D18506/30	99 Series Crimping Die Set - 30MM	10 lbs
D18506/34	99 Series Crimping Die Set - 34MM	9 lbs
D18506/42	99 Series Crimping Die Set - 42MM	9 lbs
D18506/51	99 Series Crimping Die Set - 51MM	9 lbs
D18506/57	99 Series Crimping Die Set - 57MM	9 lbs
D18506/61	99 Series Crimping Die Set - 61MM	8 lbs
D18506/71	99 Series Crimping Die Set - 71MM	8 lbs
D18506/76	99 Series Crimping Die Set - 76MM	8 lbs



Other Optional Dies for KD4-1000 Crimpers

Part Number	Description	Weight
D102819-84MM	102819 Series Crimping Die Set - 84MM	18 lbs
D102819-92MM	102819 Series Crimping Die Set - 92MM	18 lbs
D102819-100MM	102819 Series Crimping Die Set - 100MM	18 lbs
D102819-108MM	102819 Series Crimping Die Set - 108MM	18 lbs
D102819-114MM	102819 Series Crimping Die Set - 114MM	18 lbs
D102819-126MM	102819 Series Crimping Die Set - 126MM	18 lbs
D230S-166-159MM	230S Series Crimping Die Set - 166MM	45 lbs
D230S-178-159MM	230S Series Crimping Die Set - 178MM	45 lbs
D2300B-215-159MM	2300B Series Crimping Die Set - 215MM	32 lbs
D2300B-245-159MM	2300B Series Crimping Die Set - 245MM	32 lbs
D2300B-281-159MM	2300B Series Crimping Die Set - 281MM	32 lbs

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

Cutting Equipment

KuriSaws™

The KuriSaws™ are available to meet your hydraulic hose cutting needs. Several options are available to improve your cuts, blade life and hose cutting accuracy.

KHS-150



The KHS-150 comes standard with a D103502 serrated blade.

- The 1 1/2 HP KHS-150 will cut hose up to 1 1/4" 4--Wire using a 10" blade.
- KHS-150 (110V)
- Weight 85 lbs.



BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

Cutting Equipment

KuriSaws™ Plus

KuriSaws™ Plus Hose Saws are available with a mist system for longer blade life, hose retention clamp and hose measurement table making hose preparation fast and accurate.

- The 3 HP KHS-300 will cut hose up to 1 1/4" multi-spiral using a 12" blade.
- The 5 HP KHS-500 will cut hose up to 2" multi-spiral using a 12" blade.
- Weight Each - 155 lbs.

KHS-300



KHS-300 (three phase) 230 VAC
KHS-300-1PH (single phase) 230 VAC

KHS-500




KHS-500 (three phase) 230 VAC
KHS-500-1PH (single phase) 230 VAC

Optional Add-on:

D103172 (Mister Assembly)

The Mister Assembly can be easily added to KHS-300 and KHS-500 saws above. This Mister keeps the blade cool keeping it sharper longer and promotes longer blade life.



Both the KHS-300 and KHS-500 come standard with a D103187 serrated blade. Optional smooth blade D102210 is available upon request.




BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.

Fitting Pusher

KFP-10

10 Ton Fitting Pusher



The 110 Volt Pump and swivel casters make it easy to take the KFP-10 right to the job..

The KFP-10, 10 Ton 110 Volt Fitting Pusher takes the time consuming and difficult task of installing fittings on hoses from 2 inch to 12 inches and makes it quick, safe, and simple.

The portability of the KFP-10 makes it easy to bring the Fitting Pusher to the job and its ease of operation and versatility makes the KFP-10 the essential cost saving tool that no industrial hose shop can afford to be without.

With the KFP-10 Fitting Pusher's low profile, swivel Casters and 110 Volt requirement it can be quickly and easily moved to the job. The simple strap hold down system makes it easy to quickly and accurately position the hose.



The elbow fitting adapter adds to the versatility of the KFP-10.



OPERATION IS SAFER AND MORE ACCURATE:

“Traditional” methods of installing large fittings can result in damaged fittings, and at the very least is a time consuming procedure.



This fitting took 7 seconds to install.

This **Fitting Pusher** is a tool that will quickly pay for itself and produce a more consistent and better quality product from the very first crimp.

External Skive Tools



Tools for 100R13 and R15 External Skiving

Part Number	Description	Weight
R13-175-12L	External Skive Head 100R13 – 3/4"	1.0 lbs
R13-175-16L	External Skive Head 100R13 – 1"	1.0 lbs
R13-175-20L	External Skive Head 100R13 – 1 1/4"	1.4 lbs
R13-175-24L	External Skive Head 100R13 – 1 1/2"	2.0 lbs
R13-175-32L	External Skive Head 100R13 – 2"	2.2 lbs

Tools for External 100R12 Skiving

Part Number	Description	Weight
R12-100-24L	External Skive Head For 100R12 – 1 1/2"	2.0 lbs
R12-185-32L	External Skive Head For 100R12 – 2"	2.2 lbs
EHA-107	External Handle Assembly	1.4 lbs

Internal Skive Tools





Tools for Internal Skiving

Part Number	Description	Weight
IS-123-12L	Internal Skive Head 3/4"	0.8 lbs
IS-123-16L	Internal Skive Head 1"	1.4 lbs
IS-123-20L	Internal Skive Head 1 1/4"	1.2 lbs
IS-123-24L	Internal Skive Head 1 1/2"	1.6 lbs
IS-123-32L	Internal Skive Head 2"	2.0 lbs
IHA-107-01	Internal Handle Assembly	1.4 lbs



Please refer to our latest KHHCA Hydraulic Hose, Fitting and Accessories Catalog for a complete list of available 1-piece and 2-piece fittings.



Please refer to our latest Kuriyama-Couplings™ & Accessories catalog for information on Plated Steel and 304 Stainless Steel Crimp Sleeves for industrial hoses.

Cautionary Statement

All Products sold and distributed by Kuriyama of America, Inc. are in the nature of commodities and they are sold by published specifications and not for particular purposes, uses or applications. Purchaser shall first determine their suitability for the intended purposes, uses or applications and shall either conduct its own engineering studies or tests, or retain qualified engineers, consultants or testing laboratories and consult with them before determining the proper use, suitability or propriety of the merchandise or Products for the intended purposes, uses or applications.

Kuriyama of America, Inc. ("Seller") does not recommend the Products for any particular purpose, use or application, and the Purchaser or user thereof shall assume full responsibility for the suitability, propriety, use and application of the Products. Purchaser shall follow all instructions contained in Seller's catalogs, brochures, technical bulletins and other documents regarding the Products. The Products, including but not limited to, hose, tubing or couplings, may fail due to the use or conveyance of substances at elevated or lowered temperatures or at excessive pressure, the conveyance of abrasive, injurious, flammable, explosive or damaging substances.

Hose or tubing used in bent configurations will be subjected to increased abrasion. Hose clamps or couplings may loosen after initial installation and all sections of hose and tubing including connections, couplings, clamps, conductivity and bonding should be inspected frequently, regularly and consistently, and should be replaced, adjusted or re-tightened for the avoidance of leakage, for the prevention of injuries or damages, and for general safety purposes. Except as indicated in its Limited Warranty, Seller shall not be liable or responsible for direct or indirect injuries or damages caused by or attributed to the failure or malfunction of any Products sold or distributed by it.

Purchasers or users of the Products should frequently and consistently undertake inspections and protective measures with respect to the use and application of Products, which should include the examination of tube and cover, conditions of the hose or tubing, and the identification, repair or replacement of sections showing cracking, blistering, separations, internal and external abrasions, leaking or slipped couplings or connections and make proper proof tests.

Limited Warranty

The Products sold or distributed by Seller are warranted to its customers to be free from defects in material and workmanship at the time of shipment by us, subject to the following provisions. ALL WARRANTY CLAIMS SHALL BE MADE WITHIN SIX (6) MONTHS AFTER SELLER SHIPPED THE PRODUCTS. SELLER'S LIABILITY HEREUNDER IS LIMITED AT SELLER'S EXCLUSIVE DISCRETION, TO 1) THE PURCHASE PRICE OF ANY PRODUCTS PROVING DEFECTIVE; 2) REPAIR OF ANY DEFECTIVE PRODUCT OR PART THEREOF; OR 3) REPLACEMENT OF ANY DEFECTIVE PRODUCT OR PART UPON ITS AUTHORIZED RETURN TO SELLER.

THIS WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE CREATED UNDER APPLICABLE LAW INCLUDING, BUT NOT LIMITED TO, THE WARRANTY OF MERCHANTABILITY AND THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER OR THE MANUFACTURER OF THE PRODUCT BELIEVABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF PROFITS, WHETHER OR NOT CAUSED BY OR RESULTING FROM THE NEGLIGENCE OF SELLER AND/OR THE MANUFACTURER OF THE PRODUCT, UNLESS SPECIFICALLY PROVIDED HEREIN. IN ADDITION, THIS WARRANTY SHALL NOT APPLY TO ANY PRODUCTS OR PORTIONS THEREOF WHICH HAVE BEEN SUBJECTED TO ABUSE, MISUSE, IMPROPER INSTALLATION, MAINTENANCE, OR OPERATION, ELECTRICAL FAILURE OR ABNORMAL CONDITIONS, AND TO PRODUCTS WHICH HAVE BEEN TAMPERED WITH, ALTERED, MODIFIED, REPAIRED, REWORKED BY ANYONE NOT APPROVED BY SELLER, OR USED IN ANY MANNER INCONSISTENT WITH THE PROVISIONS OF THE "CAUTIONARY STATEMENT" ABOVE OR ANY INSTRUCTIONS OR SPECIFICATIONS PROVIDED WITH OR FOR THE PRODUCT. 09/2005

Distributed by:



Kuriyama of America, Inc.

Headquarters, Sales Office and Warehouse Location

360 E. State Parkway, Schaumburg, IL 60173-5335
Phone: (847) 755-0360 • Toll-free FAX: (800) 800-0320
International FAX: (847) 885-0996

Web Site: www.kuriyama.com
E-Mail: sales@kuriyama.com



The trademarks contained in this publication are trademarks of Kuriyama of America, Inc.

CONTACT OUR SALES/WAREHOUSE LOCATIONS BELOW WHICH SERVE YOUR AREA

SOUTHWEST WAREHOUSE KURIYAMA OF AMERICA, INC. HOUSTON

531 PORTWALL STREET, SUITE 100
HOUSTON, TX 77029
Phone: (713) 674-8212
Toll Free Phone: (800) 501-6808
FAX: (713) 674-5214
Toll Free FAX: (800) 800-5214

WESTERN WAREHOUSE KURIYAMA OF AMERICA, INC. SANTA FE SPRINGS

10749 SHOEMAKER AVENUE
SANTA FE SPRINGS, CA 90670-4039
Phone: (562) 941-4507
FAX: (562) 941-8940
Toll-Free FAX: (800) 326-8940

SOUTHEAST WAREHOUSE FORTNEY SALES CO., INC.

1580 BIG SHANTY DRIVE NW
KENNESAW, GA 30144-7040
Phone: (770) 427-6528
FAX: (770) 423-9249
Toll Free FAX: (800) 423-9249
Web Site: www.fortneysales.com
E-Mail: sales@fortneysales.com

EASTERN WAREHOUSE EASTERN RUBBER & PLASTICS CO., INC.

RT. 537 PLUMSTED INDUSTRIAL PARK
NEW EGYPT, NJ 08533-0248
Phone: (609) 758-0100
FAX: (609) 758-0102
Toll Free FAX: (800) 445-7138
Web Site: www.easternrubber.com
E-Mail: sales@easternrubber.com

IN MEXICO:

KURIYAMA DE MEXICO, S. DE R.L. DE C.V.
CARRETERA MIGUEL ALEMÁN KM. 14.8
PARQUE INDUSTRIAL HASNA
APODACA (MONTERREY), N.L., 66600,
MEXICO
Phone: (81) 1086-1870 O 71
Toll-Free: (within Mexico) 01-800-822-52-00
FAX: (81) 1086-1869
Internet: www.kuriyama.com
Correo Electronico: ventas@kuriyama.com



Visit us
www.kuriyama.com
on the Web!